Author Index

Andreolini, F.
——, Borra, C., Wiesler, D. and Novotny, M.
High-efficiency separation and characterization of high-molecular-weight heterocyclic sulfur compounds in fossil fuels by microcolumn liquid chromatography and related techniques 375
Andronikashvili, T. G.
——, Tsitsishvili, G. V., Kvernadze, T. K. and Okydzhava, N. G.
Potential solid supports for gas chromatography prepared on the basis of certain rocks 145
Araki, M., see Tanaka, N. 247
Aue, W. A., see Siu, K. W. M. 81
Avnir, D., see Farin, D. 317
Bayer, E., see Koppenhoefer, B. 157
Borra, C., see Andreolini, F. 375
Brun, B., see Rudziński, W. 295
Carrott, P. J. M.
—— and Sing, K. S. W.
Gas chromatographic study of microporous carbons 139
Changyan, L., see Guifang, L. 353
Chrétien, J. R.
—— and Szymoniak, K.
Hierarchical ascending classification of Kováts retention indices as a means of indicating siloxane stationary phase specificities towards aliphatic carboxylic esters 95
Décosterd, L. A.
——, Dorsaz, A.-C. and Hostettmann, K.
Application of semi-preparative liquid chromatography to difficult natural product separations 367
Demole, E., see Ohloff, G. 181
Dorsaz, A.-C., see Décosterd, L. A. 367
Drager, R. R.
—— and Regnier, F. E.
Retention mechanism of lactate dehydrogenase in anion-exchange chromatography 237
Eisen, O., see Rang, S. 75
Evans, M. B.
—— and Haken, J. K.
Classification of gas chromatographic stationary phases by a new variant of Kováts retention index 105
Farin, D.
—— and Avnir, D.
Accessibility of irregular (fractal) surfaces of porous silicas to silylation reactions 317
Feibush, B., see Shieh, C. H. 343
Fields, S. M.
——, Markides, K. E. and Lee, M. L.
Retention in capillary supercritical fluid chromatography with carbon dioxide mobile phases containing polar modifiers 223
Findenegg, G. H., see Koch, C. S. 257
Fóti, Gy., see Nagy, L. Gy. 311
Garaj, J., see Krupčík, J. 117
Gelber, L. R., see Shieh, C. H. 343
Guifang, L.
—— and Changyan, L.
Chromatographic study of charge-transfer complexes 353
Guiochon, G.
—— and Gutierrez, J. E. N.
Theoretical prediction of plate height in serially coupled capillary columns 3
Gutierrez, J. E. N., see Guiochon, G. 3
Haken, J. K.
Use of acid or alkaline fusion for the quantitative degradation of condensation polymers 167
——, see Evans, M. B. 105
Hevesi, T., see Krupčík, J. 117
Horváth, Cs., see Huang, J.-X. 275, 285
Hostettmann, K., see Décosterd, L. A. 367
Huang, J.-X.
—— and Horváth, Cs.
Adsorption isotherms on high-performance liquid chromatographic sorbents. I. Peptides and nucleic acid constituents on octadecyl-silica 275
—— and Horváth, Cs.
adsorption isotherms on high-performance liquid chromatographic sorbents. II. Proteins on cation exchangers with silica support 285
Janák, J., see Soják, L. 43
Karger, B. L., see Shieh, C. H. 343
Koch, C. S.
——, Köster, F. and Findenegg, G. H.
Adsorption of binary solvent mixtures in reversed-phase chromatographic systems. Surface excess isotherms and enthalpies of displacement 257
Koch, E. M., see Koppenhoefer, B. 157
Köster, F., see Koch, C. S. 257
Koppenhoefer, B.
——, Koch, E. M., Nicholson, G. J. and Bayer, E.
Chiral recognition of halo carboxylic amides studied by gas chromatography on Chirasil-Val 157

Kováts, E. sz.
Composition of essential oils. Part. 7. Bulgarian oil of rose (*Rosa damascena* Mill.) 185
Krupčík, J.
——, Repka, D., Hevesi, T. and Garaj, J.
Use of Kováts retention indices for characterizing solutes in complex samples, separted by linear temperature-programmed capillary gas–liquid chromatography 117
Kuhn, A. O.
—— and Lederer, M.
Adsorpation chromatography on cellulose. I. Salting-out chromatography of organic compounds 389
Kuningas, K., see Rang, S. 75
Kvernadze, T. K., see Andronikashvili, T. G. 145
Laffort, P.
—— and Patte, F.
Solubility factors established by gas–liquid chromatography. A balance sheet 51
Laszló, K., see Nagy, L. Gy. 311
Lederer, M., see Kuhn, A. O. 389
Lee, M. L., see Fields, S. M. 223
Markides, K. E., see Fields, S. M. 223
Martire, D. E.
Molecular theory of selectivity based on solute structure for nematic liquid-crystalline phases in gas–liquid chromatography 27
Michałek, J., see Rudziński, W. 295
Nagy, L. Gy.
——, Laszló, K., Fóti, Gy. and Schay, G.
Investigation of high-performance liquid chromatographic packings by liquid mixture adsorption 311
——, Vajda, N., Vodicska, M., Zagyvai, P. and Solymosi, J.
Automated separation process for radioanalytical purposes at nuclear power plants 359
Nevejans, F.
—— and Verzele, M.
On the structure and chromatographic behaviour of polystyrene phases 325
Nicholson, G. J., see Koppenhoefer, B. 157
Novotný, M., see Andreolini, F. 375
Ohloff, G.
—— and Demole, E.
Importance of the odoriferous principle of Bulgarian rose oil in flavour and flagrance chemistry 181
Okudzhava, N. G., see Andronikashavili, T. G. 145
Orav, A., see Rang. S. 75
Ostrovský, I., see Soják, L. 43
Partyka, S., see Rudziński, W. 295
Patte, F., see Laffort, P. 51
Prins, R.
—— and Somorjai, G. A.
Contributions of gas chromatography to the development of heterogeneous catalysis 151
Rang, S.
——, Kuningas, K., Strenze, T., Orav, A. and Eisen, O.
Retention and thermodynamics of solution of *n*-alkenes in OV-101 75
Regnier, F. E., see Drager, R. R. 237
Repka, D., see Krupčík, J. 117
Rudziński, W.
——, Michałek, J., Brun, B. and Partyka, S.
Further comments on the preparation of mixed organic layers chemically bonded on silicon dioxide. Adsorption of modifiers from strongly adsorbed solvents 295
Schay, G., see Nagy, L. Gy. 311
Shieh, C. H.
——, Karger, B. L., Gelber, L. R. and Feibush, B.
Ligand exchange chromatography of amino alcohol enantiomers as Schiff bases 343
Sing, K. S. W., see Carrott, P. J. M. 139
Siu, K. W. M.
—— and Aue, W. A.
An experiment to distinguish between homogeneous and heterogeneous response mechanisms in a parallel-plate electron-capture detector 81
Soják, L.
——, Ostrovský, I. and Janák, J.
Propyl effect and retention–structure correlation as a means of gas chromatographic identification 43
Solymosi, J., see Nagy, L. Gy. 359
Somorjai, G. A., see Prins, R. 151
Strenze, T., see Rang, S. 75
Szymoniak, K., see Chrétien, J. R. 95
Takács, J. M., see Tekler, V. 131
Tanaka, N.
——, Yoshimura, T. and Araki, M.
Effect of pressure on solute retention in the ionization control mode in reversed-phase liquid chromatography 247
Tarján, G., see Tekler, V. 131
Tekler, V.
——, Tarján, G. and Takács, J. M.
Effect of primary and secondary atomic environments on the interaction of some alkane C–H bonds on a squalane stationary phase at different column temperatures in gas–liquid chromatography 131
Tsitsishvili, G. V., see Andronokashvili, T. G. 145
Vajda, N., see Nagy, L. Gy. 359
Verzele, M., see Nevejans, F. 325

Villermaux, J.
Chemical engineering approach to dynamic modelling of linear chromatography. A flexible method for representing complex phenomena from simple concepts 11

Vodicska, M., see Nagy, L. Gy. 359
Wiesler, D., see Andreolini, F. 375
Yoshimura, T., see Tanaka, N. 247
Zagyvai, P., see Nagy, L. Gy. 359